Author Index

Abidi, S. L. and Mounts, T. L.
High-performance liquid chromatographic separation of molecular species of neutral phospholipids 598(1992)209
Alloni, A., see Gelfi, C. 598(1992)277
Ariyoshi, Y., see Ito, K. 598(1992)237
Bailey, C. A., see Guzman, N. A. 598(1992)123
Barford, R. A., see Brewster, J. D. 598(1992)23
Barry, E. F., see Ombaba, J. M. 598(1992)97
Bekkers, M. H. J., see De Bokx, P. K. 598(1992)115
Bergens, A.
Reductive electrochemical detection in liquid chromatography with a zinc amalgam scrubber column 598(1992)195
Bertrand, O., see Kong Sing, Y. L. 598(1992)181
Brewster, J. D., Lightfield, A. R. and Barford, R. A.
Evaluation of restricted access media for high-performance liquid chromatographic analysis of sulfonamide antibiotic residues in bovine serum 598(1992)23
Briskman, V. A., see Gelfi, C. 598(1992)277
Brondz, I. and Olsen, I.
Intra-injector formation of methyl esters from phenoxy acid pesticides 598(1992)309
Burke, J. A., see Pirkle, W. H. 598(1992)159
Burke, III, J. A., see Pirkle, W. H. 598(1992)1
Buser, H.-R., see Tóth, M. 598(1992)303
Chang, J.-P., see Pirkle, W. H. 598(1992)1
Chen, C.-F., see Tsai, T.-H. 598(1992)143
Chiari, M., Micheletti, C., Righetti, P. G. and Poli, G.
Polyacrylamide gel polymerization under non-oxidizing conditions, as monitored by capillary zone electrophoresis 598(1992)287
Cochet, S., see Kong Sing, Y. L. 598(1992)181
Cooper, D. A., see Lurie, I. S. 598(1992)59
D'Agostino, P. A. and Provost, L. R.
Mass spectrometric identification of products formed during degradation of ethyl dimethylphosphoramidocyanidate (tabun) 598(1992)89
Dahlke, S., see Gassmann, G. 598(1992)313
De Besi, P., see Gelfi, C. 598(1992)277
De Bokx, P. K., Gillissen, E. E. A., Van de Weijer, P., Bekkers, M. H. J., Van Bommel, C. H. M. and Janssen, H.-G.
Fluorescence detector cell for use in an integrated electrically driven separation system 598(1992)115
Deng, C., see Liu, S. 598(1992)298
Dhermy, D., see Kong Sing, Y. L. 598(1992)181
Djordjevic, N. M., see Liu, G. 598(1992)153
Eder, K., Reichlmayr-Lais, A. M. and Kirchgessner, M.
Simultaneous determination of amounts of major phospholipid classes and their fatty acid composition in erythrocyte membranes using high-performance liquid chromatography and gas chromatography 598(1992)33
Elmroth, I., Larsson, L., Westerdahl, G. and Odham, G.
Determination of muramic acid by high-performance liquid chromatography–plasma spray mass spectrometry 598(1992)43
Emmerling, M., see Glässgen, W. E. 598(1992)81
Enjalbert, F., Gallion, C., Jehl, F., Monteil, H. and Faulstich, H.
Simultaneous assay for amatoxins and phallotoxins in *Amanita phalloides* Fr. by high-performance liquid chromatography 598(1992)227
Erni, F., see Liu, G. 598(1992)153
Faulstich, H., see Enjalbert, F. 598(1992)227
Firmin, J. L., see Price, N. P. J. 598(1992)51
Friebe, S., Krauss, G. J. and Nitsche, H.
High-performance liquid chromatographic separation of *cis–trans* isomers of proline-containing peptides. I. Separation on cyclodextrin-bonded silica 598(1992)139
Friedmann, E. I., see Matsumoto, G. I. 598(1992)267
Gallion, C., see Enjalbert, F. 598(1992)227
Gassmann, G. and Dahlke, S.
Flame-photometric detection of nitrous oxide in addition to phosphine 598(1992)313
Gelfi, C., De Besi, P., Alloni, A., Righetti, P. G., Lyubimova, T. and Briskman, V. A.
Kinetics of acrylamide photopolymerization as investigated by capillary zone electrophoresis 598(1992)277
Gillissen, E. E. A., see De Bokx, P. K. 598(1992)115
Glässgen, W. E., Hofmann, R., Emmerling, M., Neumann, G. D. and Seitz, H. U.
Structure elucidation of saccharides in anthocyanins and flavonols by means of methylation analysis and gas chromatography 598(1992)81
Gray, D. O., see Price, N. P. J. 598(1992)51
Guzman, N. A., Moschera, J., Bailey, C. A., Iqbal, K. and Malick, A. W.
Assay of protein drug substances present in solution mixtures by fluorescamine derivatization and capillary electrophoresis 598(1992)123
Haginaka, J., Seyama, C., Yasuda, H. and Takahashi, K.
Investigation of enantioselectivity and enantiomeric elution order of propranolol and its ester derivatives on an ovomucoid-bonded column 598(1992)67
Heinzen, V. E. F. and Yunes, R. A.
Relationship between gas chromatographic retention indices and molecular connectivity indices of chlorinated pesticides and structurally related compounds 598(1992)243
Hofmann, R., see Glässgen, W. E. 598(1992)81
Iqbal, K., see Guzman, N. A. 598(1992)123
Ishida, J., Sonezaki, S. and Yamaguchi, M.
4,5-Diaminophthalhydrazide as a highly sensitive chemiluminescence derivatization reagent for α-dicarbonyl compounds in high-performance liquid chromatography 598(1992)203

Ito, K., Ariyoshi, Y. and Sunahara, H.
Determination of inorganic anions in salt solutions by ion chromatography using C_{18} reversed-phase columns coated with cetyltrimethylammonium 598(1992)237
Janssen, H.-G., see De Bokx, P. K. 598(1992)115
Jehl, F., see Enjalbert, F. 598(1992)227
Johansson, K. and Olin, Å.
Determination of selenium by capillary gas chromatography after high-temperature derivatization with 1,2-diamino-3,5-dibromobenzene 598(1992)105
Kirchgessner, M., see Eder, K. 598(1992)33
Klein, R. F. X., see Lurie, I. S. 598(1992)59
Kleinmann, I., see Šmídl, P. 598(1992)15
Kong Sing, Y. L., Kroviarski, Y., Cochet, S., Dhermy, D. and Bertrand, O.
High-performance hydrophobic interaction chromatography of proteins on reversed-phase supports coated with non-ionic surfactants of polyoxyethylene type. Purification of a fungal aspartic proteinase 598(1992)181
Krauss, G. J., see Friebe, S. 598(1992)139
Kroviarski, Y., see Kong Sing, Y. L. 598(1992)181
Ladisch, C. M., see Yang, Y. 598(1992)169
Ladisch, M. R., see Yang, Y. 598(1992)169
Larsson, L., see Elmroth, I. 598(1992)43
Lee, H. K., see Ng, C. L. 598(1992)133
Li, S. F. Y., see Ng, C. L. 598(1992)133
Lightfield, A. R., see Brewster, J. D. 598(1992)23
Liu, G., Djordjevic, N. M. and Erni, F.
Reversed- and normal-phase separations by high-temperature open-tubular column liquid chromatography 598(1992)153
Liu, S., Zhao, M. and Deng, C.
Separation and determination of trace amounts of vanadium(V), chromium(III) and iron(III) with 2-(2-thienylazo)-5-diethylaminophenol chelates by high-performance liquid chromatography 598(1992)298
Lurie, I. S., Cooper, D. A. and Klein, R. F. X.
High-performance liquid chromatographic analysis of benzodiazepines using diode array, electrochemical and thermospray mass spectrometric detection 598(1992)59
Lyubimova, T., see Gelfi, C. 598(1992)277
Malick, A. W., see Guzman, N. A. 598(1992)123
Matsumoto, G. I., Friedmann, E. I., Watanuki, K. and Ocampo-Friedmann, R.
Novel long-chain *anteiso*-alkanes and *anteiso*-alkanoic acids in Antarctic rocks colonized by living and fossil cryptoendolithic microorganisms 598(1992)267
McCague, R., see Van Bakergem, E. 598(1992)189
Micheletti, C., see Chiari, M. 598(1992)287
Monde, K. and Takasugi, M.
Studies on stress metabolites. XVI. High-performance liquid chromatographic analysis of cruciferous phytoalexins using complex ternary mobile phase gradients 598(1992)147
Monteil, H., see Enjalbert, F. 598(1992)227
Moschera, J., see Guzman, N. A. 598(1992)123
Mounts, T. L., see Abidi, S. L. 598(1992)209
Neumann, G. D., see Glässgen, W. E. 598(1992)81
Ng, C. L., Lee, H. K. and Li, S. F. Y.
Systematic optimization of capillary electrophoretic separation of sulphonamides 598(1992)133
Niessen, W. M. A., see Van Bakergem, E. 598(1992)189
Nitsche, H., see Friebe, S. 598(1992)139
Ocampo-Friedmann, R., see Matsumoto, G. I. 598(1992)267
Odham, G., see Elmroth, I. 598(1992)43
Olin, Å., see Johansson, K. 598(1992)105
Olsen, I., see Brondz, I. 598(1992)309
Ombaba, J. M. and Barry, E. F.
Determination of organotin species by capillary gas chromatography with alternating current plasma emission detection 598(1992)97
Pirkle, W. H. and Burke, J. A.
Separation of the enantiomers of the 3,5-dinitrobenzamide derivatives of α-amino phosphonates on four chiral stationary phases 598(1992)159
Pirkle, W. H., Chang, J.-P. and Burke, III, J. A.
Contribution of specifiable hydrophobic interactions to chiral recognition 598(1992)1
Plicka, J., see Šmídl, P. 598(1992)15
Poli, G., see Chiari, M. 598(1992)287
Poon, G. K., see Van Bakergem, E. 598(1992)189
Price, N. P. J., Firmin, J. L. and Gray, D. O.
Screening for amines by dansylation and automated high-performance liquid chromatography 598(1992)51
Provost, L. R., see D'Agostino, P. A. 598(1992)89
Reichlmayr-Lais, A. M., see Eder, K. 598(1992)33
Řezanka, T.
Analysis of sterol esters from alga and yeast by high-performance liquid chromatography and capillary gas chromatography–mass spectrometry with chemical ionization 598(1992)219
Righetti, P. G., see Chiari, M. 598(1992)287
Righetti, P. G., see Gelfi, C. 598(1992)277
Rimmer, D. A. and Rose, M. E.
Some novel homochiral derivatizing agents for the gas chromatographic analysis of enantiomeric secondary alcohols 598(1992)251
Rose, M. E., see Rimmer, D. A. 598(1992)251
Saitoh, K., see Shibata, Y. 598(1992)73
Seitz, H. U., see Glässgen, W. E. 598(1992)81
Seyama, C., see Haginaka, J. 598(1992)67
Shibata, Y., Saitoh, K. and Suzuki, N.
Control of the retention selectivity of rare earth octaethylporphyrins in reversed-phase high-performance liquid chromatography using amines as mobile phase additives 598(1992)73
Šmídl, P., Plicka, J. and Kleinmann, I.
Separon HEMA modified for immobilized metal ion affinity chromatographic separation of proteins 598(1992)15
Sonezaki, S., see Ishida, J. 598(1992)203
Southwell, I.
Eucalyptus oils: use, chemistry, distillation and marketing (edited by D. J. Boland, J. J. Brophy and A. P. N. House) (Book Review) 598(1992)316
Sunahara, H., see Ito, K. 598(1992)237
Suzuki, N., see Shibata, Y. 598(1992)73
Takahashi, K., see Haginaka, J. 598(1992)67

Takasugi, M., see Monde, K. 598(1992)147
Tjaden, U. R., see Van Bakergem, E. 598(1992)189
Tóth, M. and Buser, H.-R.
Simple method for collecting volatile compounds from single insects and other point sources for gas chromatographic analysis 598(1992)303
Tsai, T.-H. and Chen, C.-F.
Identification and determination of honokiol and magnolol from *Magnolia officinalis* by high-performance liquid chromatography with photodiode-array UV detection 598(1992)143
Van Bakergem, E., Van der Hoeven, R. A. M., Niessen, W. M. A., Tjaden, U. R., Van der Greef, J., Poon, G. K. and McCague, R.
On-line continuous-flow dialysis thermospray tandem mass spectrometry for quantitative screening of drugs in plasma: rogletimide 598(1992)189
Van Bommel, C. H. M., see De Bokx, P. K. 598(1992)115
Van der Greef, J., see Van Bakergem, E. 598(1992)189
Van der Hoeven, R. A. M., see Van Bakergem, E. 598(1992)189
Van de Weijer, P., see De Bokx, P. K. 598(1992)115
Velayudhan, A., see Yang, Y. 598(1992)169
Walters, R. R., see Wu, D. 598(1992)7
Watanuki, K., see Matsumoto, G. I. 598(1992)267
Westerdahl, G., see Elmroth, I. 598(1992)43
Wu, D. and Walters, R. R.
Effects of stationary phase ligand density on high-performance ion-exchange chromatography of proteins 598(1992)7
Yamaguchi, M., see Ishida, J. 598(1992)203
Yang, Y., Velayudhan, A., Ladisch, C. M. and Ladisch, M. R.
Protein chromatography using a continuous stationary phase 598(1992)169
Yasuda, H., see Haginaka, J. 598(1992)67
Yunes, R. A., see Heinzen, V. E. F. 598(1992)243
Zhao, M., see Liu, S. 598(1992)298